



REGULAR STATUARY CASTING PLASTER - BR252

General Recommendation for Use:

Use Consistency (cc/100gms)	70 - 75
Vicat Set Time (minutes)	25 - 30
Dry Density (lbs. / ft ³)	66 - 69
Expected Compressive Strength (PSI)	2000 - 2500

*Measured at Use Consistency

*Use Consistency is G-P Gypsum's recommended lbs. of water per 100 lbs. of plaster for using this product.

Description:

A special extra fine ground plaster with case hardening material to produce hard surfaces on finished casts.

For more information, call 1-888-PLASTER.