



LOW EXPANSION DENSITE® K-12

General Recommendation for Use:

Use Consistency (cc/100gms)	36 - 37
Vicat Set Time (minutes)	20 - 30
% Set Expansion	0.025 - 0.040
Dry Density (lbs. / ft ³)	101
Expected Compressive Strength (PSI)	7500 - 8000

*Measured at Use Consistency

*Use Consistency is G-P Gypsum's recommended lbs. of water per 100 lbs. of plaster for using this product.

Description:

A high strength, low expansion gypsum cement with good industrial tooling densities. K-12 is recommended for applications where the product is mixed, poured into a mold and allowed to set. It has a short period of plasticity.

For more information, call 1-888-PLASTER.